





Insulators Specification List

Insulator A-series Single-end hexagonal, with double nuts	Specification			Specification			Specification		
	H=Height (mm)	D=Diameter (mm)	M=Thread Diameter (mm)	H= Height (mm)	D= Diameter (mm)	M=Thread Diameter (mm)	H= Height (mm)	D= Diameter (mm)	M=Thread Diameter (mm)
 <p>Section-1</p>	15	12	M3	50	30	M8			
	16	16	M6	60	40	M8			
	16	21	M4	65	30	M8			
	16	21	M5	70	30	M8			
	16	21	M6	70	30	M10			
	16	20	M5	70	41	M10			
	20	21	M6	70	21	M6			
	20	21	M8	70	21	M8			
	20	21	M5	70	40	M12			
	20	20	M6	70	60	M10			
 <p>Section-2</p>	25	14	M4	70	40	M10			
	25	21	M6	76	25	M8			
	25	21	M4	76	25	M10			
	25	21	M8	76	25	M12			
	25	14	M5	84	25	M6			
	30	21	M6	100	60	M12			
	30	21	M8	165	20	M6			
	30	30	M6						
	30	40	M10						
	30	30	M10						
 <p>Outside view-1</p>	30	30	M8						
	30	40	M8						
	30	20	M6						
	30	20	M5						
	32	24	M8						
	33	21	M6						
	33	21	M8						
	35	21	M6						
	35	20	M8						
	35	21	M8						
 <p>Outside view-2</p>	40	21	M6						
	40	40	M8						
	40	21	M8						
	40	30	M10						
	45	30	M10						
	45	21	M8						
	45	21	M6						
	45	34	M8						
	45	34	M10						
	45	20	M6						
50	21	M6							
50	21	M8							
50	40	M10							
50	40	M8							
50	20	M8							





Remarks : ① The screw nuts and screw bolts listed in the table are the standard inserts. ② Under the condition of not changing the insulators' dimension and ensuring the insulation performances, the inserts can be changed upon user's special requirements.

Insulators Specification List

Insulator B-series Central Hexagonal	Specification			Specification			Specification		
	H=Height (mm)	D=Diameter (mm)	M=Thread Diameter (mm)	H= Height (mm)	D= Diameter (mm)	M=Thread Diameter (mm)	H= Height (mm)	D= Diameter (mm)	M=Thread Diameter (mm)
 Section-1	20	17	M6	60	46	M10			
	20	17	M4	65	46	M8			
	25	19	M5	70	46	M10			
	25	19	M6	75	55	M8			
	25	24	M6	80	55	M8			
	30	30	M10						
	30	30	M6						
	30	26	M8						
	30	30	M8						
	30	25	M6						
 Section-2	35	32	M6						
	35	32	M8						
	35	30	M8						
	35	41	M10						
	38	30	M8						
	39	30	M6						
	39	33	M10						
	39	33	M8						
	39	33	M6						
	39	30	M8						
 Outside view-1	40	32	M10						
	40	32	M6						
	40	32	M8						
	45	36	M8						
	45	39	M10						
	45	39	M8						
	45	46	M12						
	49	35	M10						
	49	35	M6						
	50	42	M12						
 Outside view-2	50	36	M6						
	50	35	M10						
	50	42	M10						
	50	42	M8						
	50	32	M8						
	50	35	M8						
	50	36	M8						
	50	46	M12						
	55	55	M12						
	60	44	M8						
60	52	M12							
60	52	M10							
60	44	M6							







Remarks : ① The screw nuts and screw bolts listed in the table are the standard inserts. ② Under the condition of not changing the insulators' dimension and ensuring the insulation performances, the inserts can be changed upon user's special requirements.

Insulators Specification List

Insulator C-series Cylindrical, double nuts	Specification			Insulator D-series Corrugated insulator	Specification		
	H=Height (mm)	D=Diameter (mm)	M=Thread Diameter (mm)		H=Height (mm)	D=Diameter (mm)	M=Thread Diameter (mm)
 <p>Section-1</p>  <p>Outside view-1</p>	25	12	M4	 <p>Outside view-1</p>  <p>Outside view-2</p>	25	25	M6
	30	30	M8		25	20	M6
	40	40	M8		25	15	M4
	40	40	M10		30	30	M8
	40	60	M10		30	35	M6
	40	50	M10		35	25	M6
	40	30	M10		38	45	M8
	40	30	M6		40	110	M10
	45	50	M10		50	35	M8
	50	50	M8		50	35	M10
	50	50	M10		52.5	45	M8
	50	30	M6		60	60	M12
	50	45	M10		60	60	M10
	55	15	M6		64	60	M10
	55	15	M8		80	Small end 77< 80 bigger end	M10
	60	60	M12		80	80	M8
	60	60	M10		80	80	M12
	60	50	M10		87	94	M16
	60	20	M8		90	70	M10
	67	25.5	M8		90	70	M12
80	40	M8	110	Small end 76< 80 bigger end	M10		
85	20	M6	130	65	M10		
90	20	M6	130	65	M8		
115	20	M6	130	65	M12		
136	25	M8	139	65	M12		
140	25	M6	140	85	M8		
			140	Small end 80< 85 bigger end	M10		
			140	Small end 80< 85 bigger end	M12 (hole distance 36)		
			140	70	M8		
			140	70	M12		
			140	85	M16		
			140	70	M10		
			140	65	M10		
			145	80	M12		
			145	70	M10		
			175	Small end 100< 120 bigger end	M12		
			205	50	M10		
			224	80	M10		
			224	80	M12		
			240	180	M12		
			400	110	M16		
			140	Small end 80< 85 bigger end	M12 (hole distance 30)		

Insulators Specification List

Special-shaped insulator --E series (Unit:mm)

 <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr> <th>H=heigh</th> <th>D=diameter</th> <th>Insert M</th> </tr> </thead> <tbody> <tr> <td>25</td> <td>30</td> <td>M6</td> </tr> <tr> <td>28</td> <td>30</td> <td>M6</td> </tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>	H=heigh	D=diameter	Insert M	25	30	M6	28	30	M6																									 <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr> <th>H=heigh</th> <th>D=diameter</th> <th>Insert M</th> </tr> </thead> <tbody> <tr> <td>30</td> <td>32</td> <td>M6</td> </tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>	H=heigh	D=diameter	Insert M	30	32	M6																												 <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr> <th>H=heigh</th> <th>D=diameter</th> <th>Insert M</th> </tr> </thead> <tbody> <tr> <td>25</td> <td>25</td> <td>M6</td> </tr> <tr> <td>30</td> <td>30</td> <td>M6</td> </tr> <tr> <td>60</td> <td>49</td> <td>M10</td> </tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>	H=heigh	D=diameter	Insert M	25	25	M6	30	30	M6	60	49	M10																								
H=heigh	D=diameter	Insert M																																																																																																						
25	30	M6																																																																																																						
28	30	M6																																																																																																						
H=heigh	D=diameter	Insert M																																																																																																						
30	32	M6																																																																																																						
H=heigh	D=diameter	Insert M																																																																																																						
25	25	M6																																																																																																						
30	30	M6																																																																																																						
60	49	M10																																																																																																						
 <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr> <th>H=heigh</th> <th>D=diameter</th> <th>Insert M</th> </tr> </thead> <tbody> <tr> <td>35</td> <td>44</td> <td> </td> </tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>	H=heigh	D=diameter	Insert M	35	44																													 <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr> <th>H=heigh</th> <th>D=diameter</th> <th>Insert M</th> </tr> </thead> <tbody> <tr> <td>72</td> <td>100</td> <td>M12</td> </tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>	H=heigh	D=diameter	Insert M	72	100	M12																												 <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr> <th>H=height</th> <th>D=diameter</th> <th>Insert M</th> </tr> </thead> <tbody> <tr> <td>H1=65/H2</td> <td>D1=20/D2=17</td> <td>M6</td> </tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>	H=height	D=diameter	Insert M	H1=65/H2	D1=20/D2=17	M6																														
H=heigh	D=diameter	Insert M																																																																																																						
35	44																																																																																																							
H=heigh	D=diameter	Insert M																																																																																																						
72	100	M12																																																																																																						
H=height	D=diameter	Insert M																																																																																																						
H1=65/H2	D1=20/D2=17	M6																																																																																																						

Remarks : ① The screw nuts and screw bolts listed in the table are the standard inserts. ② Under the condition of not changing the insulators' dimension and ensuring the insulation performances, the inserts can be changed upon user's special requirements.

