







No.	Type	● A	● B	● C	● R(1)	● R(2)	● Length mm
1		60	30	6	3	5	490
2		37	37	6	4	9.5	980
3		40	40	3	0.5	1	750
4		40	40	5	1	1	2600
5		60	40	6	2	3	2800
6		70	40	5	3	4	2100
7		70	40	6	3	4	2800
8		76	43	9	3	5	2600
9		150	80	10	3	10	2600
10		210	185	10	3		550
11		60	60	7			520
12		165 (Longer side thickness 20)	60 (shorter side thickness 12)				950
13		20	20	10	Right angle	10	900
14		70	50	6	1	3	100
15		140	22	3			1100
16		125.5	76	9	9	18	700
17		90	90	10	10	10	800
18		297	230	8	5	5	500




Type No.	● A	● B	● C	● R(1)	● R(2)	● Length mm
1	40	22	5	1	2	3000
2	50	22	5	1	2	3000
3	40	20	4	1	1	1250
4	50	40	10	2	12	800
5	46	28	6	1	2.5	400
6	60	35	7	2	3	3000
7	60	35	10	2	3	3000
8	70	30	5	1.5	2	650
9	70	30	6	1	3	2900
10	70	37	7	2	3	760
11	70	45	12	3	5	2600
12	76	37	6.5	5	10	3800
13	76	43	9	2	5	2800
14	110	60	10	2	3	4000




Type No.	● A	● B	● C	● R(1)	● R(2)	● Length (mm)
15	116	50	7	3.5	2	2600
16	116	50	10	4	2	2600
17	120	40	10	2	5	2800
18	124	21	3	3	6	400
19	125	64	Lateral side (12) bottom side (15)	3	3	420
20	238	8	3			950
21	127	45	7	3	5	2600
22	127	60	10	4	14	1200
23	125	45	10	1	5	2600
24	133	18	3	3	6	1700
25	167	18	3	3	5	1000
26	150	50	6	1	3	2600
27	90	40	8	2	8	2600
28	100	30	6.5	1	5	2800









Type No.	● A	● B	● C	● R(1)	● R(2)	● Length (mm)
29	100	50	6.5	3	1	2600
30	100	50	8	3	1	2600
31	79	50	3	2	5	500
32	96	35	10	5	5	500
33	200	100	3			2000
34	100	80	8	2	8	800
35	92.5	20	5		3	320
45	70	30	5	1.5	2	650
46	240	70	Lateral side (10) bottom side (15)	6	1	2300
47	505.5	42	9	2		600
48	110	45	8	2	3	2600
49	150	88	8	4	4	900
50	198	15	3			1000
51	215	70	5			990






No. \ Type	● A	● B	● C	● D	● Length mm
1	70	80	12	20	3600
2	100	60	8	8	4000
3	120	70	8	12	3000
4	150	80	12	25	2700
5	160	100	12	25	2700
6	160	100	12	30	3000
7	200	100	12	23	2500
8	200	100	12	25	4500
9	220	120	13	30	4000
10	40	Top side width (67) Bottom side width (110)	Top side thickness (12) Bottom side thickness (6)	14	2600
11	100	60	11	10	2800
12	100	100	12	25	3000



No. Type	● A	● B	● C	● R	● Length mm
1	110	78	C1=20 C2=18	5	1390
2	145	94	C1=30 C2=32	1	1158
3	70	50	10	3	2200
4					
5					
6					
7					
8					

SMC 王-shaped insulation beam 130*120*(66)*15*(8) 	SMC 王-shaped insulation beam 200*100*10*3900 	SMC 王-shaped insulation beam 100*80*8*2600 
SMC 王-shaped insulation beam 100*100*8*3900 	SMC 王-shaped insulation beam 200*100*10*4000 	SMC 王-shaped insulation beam 310*100*10*3800 

SMC 王-shaped insulation beam 130*66*10 (8) *2500	SMC 王-shaped insulation beam 100*80*8*3000	SMC Z-shaped profile 40*40*20*5*1100
		
SMC channel 150*88*88*8*900(can be modified in Z-shape profile)	SMC 王-shaped insulation beam 160*100*25*2800	SMC 巾-shaped profile 120*110*8*2600
